



FRONT AND REAR ELEVATION





LEFT AND RIGHT ELEVATION

GENERAL CONSTRUCTION NOTES:
-ALL STRUCTURAL LUMBER SHALL BE
PRESSURE TREATED SOUTHERN PINE #2
OR BETTER, UNLESS OTHERWISE NOTED.
-ANY WOOD IN CONTACT WITH
MASONRY OR GROUND CONTACT TO BE
PRESSURE-TREATED WOOD.
-ATTACH EACH ROOF BOARD TO EACH
FRAMING MEMBER w/ (2) 1/2" CROWN x 2"
LEG x 16 GAUGE STAPLES OR (2) 2 1/2"
WOOD SCREWS.

-ATTACH WALL SHEATHING TO EACH FRAMING MEMBER W/ 8d NAILS 12" O.C. INTERMEDIATE AND 6" O.C. ALONG EDGES -ALL HARDWARE TO BE GALVINIZED, POWDER COATED, STAINLESS STEEL, OR AS NOTED -ALL SCREWS #10, LENGTH PER DRAWING OR AS NOTED

-ALL CONCRETE TO BE 3500 PSI (MIN.)

Building Size Site Address


12x24 Vinyl Pavilion Open Gable A-Frame BYS P.O. ##### Customer Name 0011 Stuart Tarce City, State Zip-Code 111-222-3333




The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572


December 5, 2023

1. J. P. SHEET NO. A-1





ROOF FRAMING PLAN



- 1/8" THICK STEEL ANGLE HOLES FOR (5) #8 x 2½" WOOD SCREWS TO ATTACH TO POST HOLE FOR 1/2" DIA. x 4" CONCRETE ANCHOR EMBEDDED 3½" (MIN.) INTO CONCRETE FOUNDATION STEEL L-BRACKET DETAIL NO SCALE

ASPHALT SHINGLES WARRIOR ROOFING ELEPHANT SKIN ROOF UNDERLAYMENT 1x6 T&G ROOF DECKING 2x4 RAFTERS @ 24" O.C.	(2) 2x4 RIDGE POL	E
2x12 RAFTER PLATE		
5/4 x 6 FASCIA BOARD		₩ ÷ :5
(3) 2x8 HEADER		□ 포
	STEEL L-BRACKET TO ATTACH POST TO CONCRETE FOOTING; USE (2) PER POST (SEE L-BRACKET DETAIL) 1/8" THICK STAINLESS STEEL STAND-OFF PLATE BETWEEN BASE OF POST AND CONCRETE TOP_OF_FOOTING LINE	8' 0" POST HEIGHT
16" DIA.X 36" DEEP FOOTING AT EACH POST LOCATION (TOTAL OF 6)	CROSS SECTION	16"

Special Notes/Comments

Building Size	Site Address	
12x24 Vinyl Pavilion Open Gable A-Frame BYS P.O. #####	Customer Name 0011 Stuart Tarce City, State Zip-Code 111-222-3333	



The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572

December 5, 2023

m.J.P.

SHEET NO.

A-2