


FRONT AND REAR ELEVATION





OR BETTER, UNLESS OTHERWISE NOTED. -ANY WOOD IN CONTACT WITH MASONRY OR GROUND CONTACT TO BE PRESSURE-TREATED WOOD. -ATTACH EACH ROOF BOARD TO EACH FRAMING MEMBER w/ (2) 1/2" CROWN x 2"

GENERAL CONSTRUCTION NOTES: -ALL STRUCTURAL LUMBER SHALL BE PRESSURE TREATED SOUTHERN PINE #2

LEG x 16 GAUGE STAPLES OR (2) 2 1/2" WOOD SCREWS.

-ATTACH WALL SHEATHING TO EACH FRAMING MEMBER w/ 8d NAILS 12" O.C. INTERMEDIATE AND 6" O.C. ALONG EDGES -ALL HARDWARE TO BE GALVINIZED, POWDER COATED, STAINLESS STEEL, OR AS NOTED -ALL SCREWS #10, LENGTH PER DRAWING

OR AS NOTED

-ALL CONCRETE TO BE 3500 PSI (MIN.)

Building Size Site Address

18x18 Vinyl Pavilion Hip-Roof BYS P.O. #####

Customer Name 0011 Stuart Tarce City, State Zip-Code 111-222-3333





The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572

February 8, 2024

SHEET NO. A-1

m.J.P.





COMPRESSION

17'-0 1/4" POST CENTERS

4" CRUSHED STONE BASE

CROSS SECTION

4" THICK CONCTRETE SLAB

TOP OF FOOTING LINE


(OVERALL SIZE TBD BY OWNER)


1/8" THICK STAINLESS

STEEL PLATE BETWEEN

BOTTOM OF POST AND CONCRETE

ROOF FRAMING PLAN





-HOLE FOR 1/2" DIA. x 4" CONCRETE ANCHOR EMBEDDED 3½" (MIN.) INTO CONCRETE FOUNDATION

a ! 137 ·	10 .
Special Notes	/('omments
opeciai motes	Commicnes

Building Size	Site Address
18x18 Vinyl Pavilion Hip-Roof BYS P.O. #####	Customer Name 0011 Stuart Tarce City, State Zip-Code 111-222-3333



ASPHALT SHINGLES

1x6 T&G ROOF DECKING 2x6RAFTERS @ 24" O.C., (2) 2x6 HIP RAFTERS

(1) SIMPSON A23Z ANGLE AT EACH RAFTER, (2) AT DOUBLE 2x6 HIP RAFTERS

> 1x6 FASCIA BOARD 2x12 RAFTER PLATE

(3) 2x10 HEADER

POST TO FOOTING; USE (2) PER POST (SEE L-BRACKET DETAIL)

6x6 PT POSTS

STEEL L-BRACKET TO ATTACH

DIA. x DEEP CONCRETI PIER FOOTING AT EACH POST LOCATION

The Backyard Showcase
2604 Lincoln Highway E.
Ronks, PA 17572

February 8, 2024

OVERALL HEIGH

8'-0" POST HEIGHT