


LEFT AND RIGHT ELEVATION



-ALL STRUCTURAL LUMBER SHALL BE
PRESSURE TREATED SOUTHERN PINE #1,
APPEARANCE GRADE WESTERN RED CEDAR
OR AS SELECTED OR OTHERWISE NOTED.
-ATTACH EACH ROOF BOARD TO EACH
FRAMING MEMBER w/ (2) 1/2" CROWN x 2"
LEG x 16 GAUGE STAPLES OR (2) 2 1/2"
WOOD SCREWS.
-ATTACH WALL SHEATHING TO EACH
FRAMING MEMBER w/ 8d NAILS 12" O.C.
INTERMEDIATE AND 6" O.C. ALONG EDGES
-ALL HARDWARE TO BE GALVINIZED,
POWDER COATED, STAINLESS STEEL,
OR AS NOTED
-ALL SCREWS #10, LENGTH PER DRAWING
OR AS NOTED
-ALL CONCRETE TO BE 3500 PSI (MIN.)

GENERAL CONSTRUCTION NOTES:

Building Size	Site Address
14x16 Wood Pavilion Hip Roof	Customer Name 0011 Stuart Tarce City, State Zip-Code

111-222-3333

BYS P.O. #####




The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572

March 22, 2024 m.J.P.


SHEET NO.


A-1



(3) GRK 3/8" RSS x 8" SCREWS -(3) 2x8 HEADER 5x5 CORNER POST, NOTCHED 1 3/8" ON OUTSIDE ONLY (3) 31/2" SCREWS-(3) GRK 3/8" RSS x 8" SCREWS TOP VIEW (3) 2x8 HEADER (3) GRK 3/8" RSS > 8" SCREWS (TYP.) 5x5 CORNER **HEADER TO POST CONNECTION DETAIL**

ROOF FRAMING PLAN





ASPHALT SHINGLES (2) 2x4 RIDGE POLE WARRIOR ROOFING ELEPHANT SKIN ROOF UNDERLAYMENT 1x6 T&G ROOF DECKING-2x4 RAFTERS @ 24" O.C. (2) 2x4 HIP RAFTERS 2x12 RAFTER PLATE +- OVERALL HEIGHT 5/4 x 6 FASCIA BOARD (3) 2x8 HEADER POST HEIGHT <u>.</u> STEEL L-BRACKET TO ATTACH POST TO - CONCRETE FOOTING; USE (2) PER POST (SEE L-BRACKET DETAIL) 2 ..0 1/8" THICK STAINLESS STEEL STAND-OFF PLATE BETWEEN BASE OF POST AND CONCRETE TOP OF FOOTING LINE 16" DIA.x 36" DEEP FOOTING AT EACH POST LOCATION **CROSS SECTION** (TOTAL OF 4) 16"

Special Notes/Comments

Building Size	Site Address	
14x16 Wood Pavilion Hip Roof BYS P.O. #####	Customer Name 0011 Stuart Tarce City, State Zip-Code	

111-222-3333

The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572

March 22, 2024

SHEET NO. A-2

m.J.P.