


-ATTACH BOTTOM PLATE TO HEADER w/ 2½" SCREWS-(3) EACH SIDE, (6) TOTAL, AT BRACE. THEN USE (2) 2½" SCREWS @ 16" O.C. ALONG REMAINING LENGTH OF HEADER (6) 21/2" SCREWS ATTACH BRACE SECTION TO POST w/ 21/2" SCREWS-(3) EACH SIDE, (6) TOTAL DOUBLE 2x8 BRACE DETAIL



**FRONT AND REAR ELEVATION** 9'-6 1/8" CENTER-CENTER POSTS 9'-6 1/8" CENTER-CENTER POSTS 19'-0 1/4" CENTER-CENTER POSTS

LEFT AND RIGHT ELEVATION

**GENERAL CONSTRUCTION NOTES:** -ALL STRUCTURAL LUMBER SHALL BE PRESSURE TREATED SOUTHERN PINE #1, APPEARANCE GRADE WESTERN RED CEDAR, OR AS SELECTED OR OTHERWISE NOTED. -ATTACH EACH ROOF BOARD TO EACH FRAMING MEMBER w/ (2) 1/2" CROWN x 2" LEG x 16 GAUGE STAPLES OR (2) 2 1/2" WOOD SCREWS. -ATTACH WALL SHEATHING TO EACH

FRAMING MEMBER w/ 8d NAILS 12" O.C. INTERMEDIATE AND 6" O.C. ALONG EDGES -ALL HARDWARE TO BE GALVINIZED, POWDER COATED, STAINLESS STEEL, OR AS NOTED -ALL SCREWS #10, LENGTH PER DRAWING

OR AS NOTED

-ALL CONCRETE TO BE 3500 PSI (MIN.)

**Building Size** Site Address

20x36 Wood Pavilion Hip-Roof BYS P.O. #####

**Customer Name** 0011 Stuart Tarce City, State Zip-Code 111-222-3333



The Backyard Showcase 2604 Lincoln Highway E. Ronks, PA 17572

July 8, 2024

SHEET NO. A-1

